


Product Data Sheet

Knauf CT Stud



Knauf CT Stud is a galvanised steel section used in the Knauf Shaftwall system to allow quick and safe construction from one side with the minimum number of components.

Areas of Application

To be used as part of a Knauf shaftwall system.

Compliance Standards

BS FN 14195·2014

Key Benefits

- Quick and easy to install
- Fully recyclable
- EPD certification available

Performance Data

Reaction to Fire (R2F)	Yield Strength (σ)
A1	NPD

Creation Date: 31/08/2023 Revision Reference: 002 Revision Date: 10/04/2024

www.knauf.co.uk



Technical information

Dimensions and Weights								
Length (mm)	Size/Webb (mm)	Flange (mm)	Gauge (mm)	Weight (kg/piece)	Coating Type/Weight (gsm)	Coating thickness (microns nominal in accordance with BS EN 10346:2015)	Material Number	
3000	60	38.5	0.92	4.2	Zinc - 140	10	243804	
3000	60	38.5	0.92	6.3	Zinc - 140	10	243811	
3000	92	38.5	0.92	7.3	Zinc - 140	10	243818	
3000	92	38.5	0.92	8.9	Zinc - 140	10	243819	
3000	146	38.5	0.92	11.0	Zinc - 140	10	243801	
3000	146	38.5	0.92	13.0	Zinc - 140	10	243802	

Creation Date: 31/08/2023 Revision Reference: 002 Revision Date: 10/04/2024

www.knauf.co.uk



Sustainability

Total Recycled Content

15-20%

Recyclability

Fully recyclable

Storage and Handling

No temperature constraints, but salt spray and corrosive atmospheric conditions must be avoided. Must be kept in dry conditions.

Packaging

Components are tied with filament tape and on wooden bearers.

Disposal/Repair

Separate metal from any non-metal components and recycle in accordance with local authority requirements.

European Waste Catalogue code: 17 04 05

Health & Safety

Please refer to our Safety Data Sheet for guidance on Personal Protection Equipment required for the handling and installation of this product.

Application / Installation

Please refer to our system installation instructions for details on how to install CT Stud as part of a Knauf Shaftwall system.

Additional Documentation

Declaration of Performance UKCA

Declaration of Performance CE

Safety Data Sheet

Certification

Environmental Product Declaration





Customer Service

UK Tel: 0800 521 050 Eire Tel: 01 4620739 Email: cservice@knauf.com

Technical Service

0800 521050 (option 2) Live Webchat 09:00 -17:00 technical-uk@knauf.com

Website

www.knauf.co.uk

Address

Knauf Kemsley Fields Business Park Sittingbourne Kent ME9 8SR

KML100464

The information given in this publication is believed to be current and accurate as at the date of publication, but no warranty, express or implied is given. Updates will not be automatically issued.

© Copyright Knauf 2023

Creation Date: 31/08/2023 Revision Reference: 002 Revision Date: 10/04/2024

Build for the world we live in