

Product Data Sheet

Knauf Deep Flange U Channel



Knauf Deep Flange U Channel is a galvanised steel section for use as a head track where increased deflection is expected.

All Knauf Deflection Head details will require 70mm Deep Flange U Channel.

Areas of Application

Designed to be part of Knauf partition and Shaftwall systems.

Compliance Standards

BS EN 14195:2014

Key Benefits

- Galvanized to protect against corrosive elements
- Easy to cut
- Fully recyclable
- EPD certification available

Performance Data

Reaction to Fire (R2F)	Yield Strength (σ)
A1	NPD

Creation Date: 31/08/2023 Revision Reference: 002 Revision Date: 10/04/2024

www.knauf.co.uk



Technical information

	Dimensions and Weights									
Length (mm)	Size/Webb (mm)	Flange (mm)	Gauge (mm)	Colour	Weight (kg/piece)	Coating Type/ Weight (gsm)	Coating Thickness (microns nominal in accordance with BS EN 10346:2015)	Material Number		
3000	52	50	0.6	Silver	2.5	Zinc - 140	10	243999		
3000	72	50	0.6	Silver	2.7	Zinc - 140	10	255951		
3000	52	70	0.7	Silver	3.2	Zinc - 140	10	244000		
3000	62	70	0.7	Silver	3.3	Zinc - 140	10	255950		
3000	72	70	0.7	Silver	3.5	Zinc - 140	10	255953		
3000	94	70	0.7	Silver	3.9	Zinc - 140	10	255955		
3000	148	70	0.7	Silver	4.7	Zinc - 140	10	243998		

www.knauf.co.uk



Sustainability

Total Recycled Content 15-20%

Recyclability

Fully recyclable

Storage and Handling

No temperature constraints, but salt spray and corrosive atmospheric conditions must be avoided. Must be kept in dry conditions.

Packaging

Components are tied with filament tape and on wooden bearers.

Disposal/Repair

Separate metal from any non-metal components and recycle inaccordance with local authority requirements.

European Waste Catalogue code: 17 04 05

Health & Safety

Please refer to our Safety Data Sheet for guidance on Personal Protection Equipment required for the handling and installation of this product.

Application / Installation

Please refer to our system installation instructions for details on how to install Deep Flange U Channel as part of a Knauf system.

Additional Documentation

Declaration of Performance UKCA

Declaration of Performance CE

Safety Data Sheet

Certification

Environmental Product Declaration





Customer Service

UK Tel: 0800 521 050 Eire Tel: 01 4620739 Email: cservice@knauf.com

Technical Service

0800 521050 (option 2) Live Webchat 09:00 -17:00 technical-uk@knauf.com

Website

www.knauf.co.uk

Address

Knauf Kemsley Fields Business Park Sittingbourne Kent ME9 8SR

KML100460

The information given in this publication is believed to be current and accurate as at the date of publication, but no warranty, express or implied is given. Updates will not be automatically issued.

© Copyright Knauf 2023

Creation Date: 31/08/2023 Revision Reference: 002 Revision Date: 10/04/2024

Build for the world we live in